




rammount.com
1-800-497-7479
sales@rammount.com

RAM® Double Ball Rail Mount with RAM® Qi2 15W Wireless Charger

Part # RAP-B-149-AP-MAG-1-W2MU **UPC** 793442035739
Ball Size B **Arm Length** Medium **Price** \$85.99



OVERVIEW

The RAM® Double Ball Rail Mount with RAM® Qi2 15W Wireless Charger (RAP-B-149-AP-MAG-1-W2MU) seamlessly integrates the RAM® Qi2 15W Wireless Charger into the RAM® ball and socket ecosystem, delivering a secure and dependable in-vehicle mounting solution. This complete kit includes the RAM® Qi2 15W Wireless Charger along with a precision-fit adapter that keeps the charger securely in place, while compatible smartphones magnetically align and snap into position for effortless mounting and fast wireless charging. Also included is a RAM® Composite Ball Base for 1" rails and a B size medium-length socket arm, perfect for the RAM® Tough-Bar™.

FEATURES

- Adapter compatible with included RAM® Qi2 15W Wireless Charger
- Includes RAM® composite base for 1-inch rails and medium length, B size RAM® double socket arm
- Single-screw installation, tightens easily using the included #6-32 screw and nylock nut
- Ball and socket technology allows for near-infinite adjustability
- Backed by a lifetime warranty; 3-year warranty on electronic components

SPECIFICATIONS

Hardware Included	(1) #6-32 x 5/8" Machine Screw (1) #6-32 Nyloc Nut
Clamp Range	1" diameter
Socket To Socket Length	3"
Ball Size	B Size (1")

Weight Capacity	Standard Use: 2 lbs Heavy-Duty Use: 1 lb
Materials	High strength composite
Packaging Type	Poly Bag
Power Specifications	Operating Frequency: 360KHZ Stand-by Consumption ~ 0.008A / 8mA @5VDC 80% Wireless Power Transfer Efficiency or Greater Supports USB 2.0 BC1.2 Power Supply (5V) Supports Qualcomm QC 2.0, QC 2.0, USB PD 2.0
Input Voltage	USB 5V @ 3A QC2.0 9V @ 2.22A USB PD 2.0 5-15V @ 2A
Power Output	BPP - 5W EPP - 7.5W MPP - 15W
Output Connector	USB Type-C Male with USB-A Adapter
Output Cable Length	1 Meter
Operating Temperature	0°C to +40°C
Storage Temperature	-20°C to +80°C
Regulatory	Over Current Protection Short circuit Protection Over Temperature Protection RoHS Compliance WEEE Compliance
Certifications	IP67 SAE J1455 FCC Certification CE Certification E-Mark Certification RCM Certification
Weight	0.44 lb

The included wireless charger will support up to 8mm charging distance between puck and device.

A reduction in vibration does not guarantee full protection of device. External immeasurable factors may cause damage to phones, cameras, and other devices while mounted. National Products, Inc does not assume responsibility or liability for any such personal injury, death or property damage. RAM® mounts lifetime warranty is limited to RAM® mounts and components. The warranty does not include any device mounted or attached to a RAM® mount, such as a phone, GPS, camera, computer or other device.

KIT COMPONENTS

- **RAM-GDS-CHARGE-W2M** RAM® Qi2 15W Wireless Charger
- **RAP-B-202-AP-MAG-1U** RAM® Ball Adapter for Apple MagSafe (2024+)

- **RAP-B-201U** RAM® Composite Double Socket Arm - B Size Medium
- **RAP-B-231U** RAM® Composite Ball Base for 1" Rails

rammount.com/products/rap-b-149-ap-mag-1-w2mu